Supported by:







EOCap4Africa

2 General Introduction to Spatial Data



















Learning Objectives



Distinguish between types spatial data (vector, raster)

Understand different vector types (point, line, polygon, etc.)


Identify common spatial data file formats (e.g., SHP, GeoJSON, TIFF)

Understand the role of metadata in spatial data

What is Spatial Data?




- Data that is linked to specific geographic locations using coordinates
- Helps us understand patterns, relationships, and distributions in the real world
- Found in applications like navigation, urban planning, environmental studies, and more



(Lane et al. 2023)

Examples of Spatial Data





- Spatial Data can not only be used to show location based trends, but also temporal trends
- This example showcases the total rainfall over Kenya

(Ayugi et al. 2016)




Types of Spatial Data



Vector Data

- Comprised of vertices and paths
- Composed of XY coordinates



Raster Data

Made up of pixels in a matrix

(Wired Wisdom 2020)



Vector Data



Types

- Points
- Lines
- Polygons





Polygon







(Land id 2022)

Vector Data - Points



Usage of point data


-> Single features

Large Scale:

- Trees
- Hydrants
- Location of incidences

Small scale:

- Buildings
- Cities



(Albert et al. 2020)

Vector Data - Lines



Usage of line data

- -> Continuous line features
- Roads
- Channels, Rivers,
- Routing




(LotusArise 2023)

Vector Data - Polygones



Usage of polygon data-> shapes defined by connected vertices

- Regions
- Countries
- Buildings



(Zhou et al. 2023)





Vector Data



File Formats

- SHP (Shapefile): Standard for GIS
- GeoJSON: web-compatible
- KML: Google Earth


Advantages

- Precise representation of boundaries
- Smaller file sizes for certain datasets
- "Vector is correcter" (ESRI)





- Grid of cells or pixels
- All pixels are identical in size




(ArcGIS a n.d.)





Average Rainfall

- Each pixel represents a data value
- In most satellite image, each pixel contains multiple values
- For example: a value for the red band, the blue band and the green band



(Land id 2022)




Satellite Imagery

- Displays the world as it is from space
- Can be used for environmental monitoring, archeology, urban planning, etc.



(Descloitres 2004)





(ArcGIS b n.d.)

Digital Elevation Models (DEM)

- Displays terrain height
- Can be used to analyse the terrain, morphometry and hydrology



Julius-Maximilians-UNIVERSITÄT WÜRZBURG

Raster Data



File Formats

- **TIFF**: High-resolution, georeferenced raster
- JPEG/PNG: For visual outputs or web use

Advantages

- Ideal for continuous data (e.g., temperature, elevation)
- Rich detail for imagery and analysis
- "Raster is faster"



Metadata is crucial



Provides essential information about the dataset:

- What is the data about?
- Who created it and when?
- What is its geographic coverage?

Metadata ensures the data is accurate, interpretable, and reusable. It helps in assessing data quality and relevance for projects.



Tasks



- 1. In your own words, describe the difference between vector and raster data. Use additional resources for your description!
- 2. How are channels portrayed in vector versus raster? Which feature type do you think is more time-consuming to produce?
- 3. Give two examples per data type (points, lines, polygons) not named in the presentation of when it would be best to use vector data.
- 4. Give two examples not named in the presentation when it would be best to use raster data.





Summary & Key Takeaways



Vector (points, lines, polygons) and raster (grids, images) are the two main data types

Common spatial file formats include **Shapefiles and GeoTIFFs**

Metadata helps describe data accuracy, projection, and source information

Sources



Albert, G., Yiran, B., Ablo, A. D., Owusu, G., & Others. (2020). *Urban sprawl in sub-Saharan Africa: A review of the literature in selected countries. Ghana Journal of Geography, 12*(1), 1–28. https://doi.org/10.4314/gig.v12i1.1

ArcGIS. (n.d.-a). Was sind Raster-Daten? Retrieved January 6, 2025, from

https://desktop.arcgis.com/de/arcmap/latest/manage-data/raster-and-images/what-is-raster-data.htm

ArcGIS. (n.d.-b). Untersuchen von digitalen Höhenmodellen (DEM). Retrieved January 6, 2025, from

https://desktop.arcgis.com/de/arcmap/latest/tools/spatial-analyst-toolbox/exploring-digital-elevation-models.htm

Ayugi, B. O., Wen, W. Y., & Chepkemoi, D. (2016). *Analysis of spatial and temporal patterns of rainfall variations over Kenya. Environmental Earth Sciences*, 6(11), 69–83. Retrieved February 10, 2025, from

https://www.researchgate.net/publication/311301478 Analysis of Spatial and Temporal Patterns of Rainfall Variations over Kenya Descloitres, J. (2004, August 19). *The Nile, Egypt* [Satellite image]. MODIS Rapid Response Team, NASA/GSFC. Retrieved February 10, 2025, from https://visibleearth.nasa.gov/images/71790/the-nile-egypt

Land ID. (2022). Raster vs Vector Data: The Ultimate Guide. Retrieved January 6, 2025, from

https://id.land/blog/raster-vs-vector-data-the-ultimate-guide

Lane, C., D'Amico, E., Christensen, J., Golden, H., Wu, Q., & Rajib, A. (2023). *Mapping global non-floodplain wetlands. Earth System Science Data, 15*(17).

LotusArise. (2023, May 4). Rivers of Africa. Retrieved February 10, 2025, from https://lotusarise.com/rivers-of-africa-upsc/

Zhou, W., Fischer, A., Ogwang, M., Luo, W., Kerchan, P., Reynolds, S., Tenge, C., Were, P., Kuremu, R., Wekesa, W., Masalu, N., Kawira, E., Kinyera, T., Otim, I., Legason, I., Nabalende, H., Ayers, L., Bhatia, K., Goedert, J., & Mbulaiteye, S. (2023). *Mosaic chromosomal alterations in peripheral blood leukocytes of children in sub-Saharan Africa*. *Nature Communications*, *14*. https://doi.org/10.1038/s41467-023-43881-0

Supported by:







Thank you for your attention!

Dr. Insa Otte, Hanna Schulten, and colleagues

insa.otte@uni-wuerzburg.de













